

Invitation to Bid NBS-22-47

NOTE: Contractors are not authorized to visit the property before or after the bid walk, without being accompanied by the City's Rehabilitation Specialist.

Documents included in Package:

- 1) Instruction to Bidders
- 2) Specs by Location/Trade (Scope of Work)
- 3) Subcontractor Certifications (if applicable)
- 4) Floor Plan / Site Drawing (if applicable)

Bid Walk & Bid Opening: NBS-22-47

Project Address:	1713 CRESTDALE DRIVE	LEAD SAFE CHARLOTTE
Bid Walk:	THURSDAY JUNE 23, 2022	@ 10:00AM
Bid Opening:	THURSDAY JUNE 30, 2022	@ 2:00PM
Client Name:		Contact Number:
Project Manager:	James Mahon	Contact Number: 704-432-2321

Bid Walk and Bidding Instructions:

All bid walks are mandatory.

If you are going to be late the policy is the following:

Contact me BEFORE the start time if you are going to be late. If you are going to be more than 10 minutes late, we will proceed without you and you will not be permitted to bid.

The day of a bid walk the best way to reach me is at James Mahon (cell #704-614-6655).

Bids must be received by the date, time and place specified. All others will be considered non responsive and disqualified.

The Bids will be opened at 600 East Trade St. immediately following the above due date and time.

X



Company Acknowledgement:

The undersigned, having become thoroughly familiar with the terms, conditions, limitations, and provisions of the housing improvement work to be performed at **1713 CRESTDALE DRIVE.** be funded through the City of Charlotte Neighborhood & Business Services, in addition, having fully inspected the site in all particulars, hereby proposes and agrees to fully perform the work within the time stated and in strict accordance with the proposed contract documents including furnishing of any and all labor and materials, and to do all work required to complete said Work in accordance with the advised respective contractual, for the sum of money:

All labor, materials, services and equipment necessary for the completion of the Work shown on the Drawings and in the Specifications:

Written total		D	ollars (\$)_	
Specs Dated: 2-10-2022	Number of Pages: 8	PAGES- *	LEAD HAZARDS		
Addenda # 1 Dated:	Number of Pages:				
Addenda # 2 Dated:	Number of Pages:				
Project Schedule: Minimum Start Date - 8-15-2022					
Completion Deadline:					

Please Print and Sign:	
Company Name/Firm:	
Authorized Representative Name:	
Signature:	Date:



Requirements For Bidders

The City awards rehabilitation bids to the lowest responsive and responsible bidder. A responsible bidder for the safe home program is one who:

- 1) Is a licensed general contractor in the State of North Carolina;
- 2) Has an Renovate, Repair & Paint Certification (http://www2.epa.gov/lead/renovation-repair-and-painting-program);
- 3) Is not listed on a local, state or federal debarment list;
- 4) Carries an appropriate amounts of insurance;
- 5) Can provide references verifying the contractor has completed work of a similar scope in a good workmanship like manner or successfully completed prior work for the Safe Home program. Referenced work must have been completed in one year or less from date of this invitation to bid.

A responsive bidder must:

- 1) Submit all requested documentation on time;
- 2) Meet the above requirements for responsibility at the time of bid submittal;
- 3) Have the capacity to meet the required schedule for the project.
- 4) Existing rehab projects contracted by the contractor must be on schedule.

The City reserves the right to waive any minor informalities or irregularities, which do not go to the heart of the bid submittal or prejudice other offers, or to reject, for good and compelling reasons, any or all bid submittals.

James Mahon Rehabilitation Specialist City of Charlotte Neighborhood and Business Services 600 E. Trade St. Charlotte, NC 29202

PH: (704) 432-2321 Fax: (704) 336-3489



Instructions to Bidders

Explanations to Bidders

Any explanation desired by a Contractor regarding the meaning or interpretation of the advertisement for bids, drawings, specifications, etc., must be requested in writing to the Rehabilitation Specialist with sufficient time allowed for a reply to each Contractor before the submission of their bids. Any interpretation made will be in the form of an addendum to the invitation for bids, drawings, specifications, etc., and will be furnished to all prospective Contractors. The Contractor must acknowledge any revision to the bid documents in the space provided on the bid form and it must be submitted with their bid package.

Preparation of Bids

Bids shall be submitted on the forms furnished, or copies thereof, and must be manually signed. If erasures or other changes appear on the forms, the person signing the bids must initial each erasure or change

- The Contractor's Bid Proposal must be properly executed and submitted on the form provided. Bids by Contractors must be received by the Rehabilitation Specialist at the time and place specified on the "Invitation to Bid"
- No bid will be considered unless all individual work items on the Bid Form including any addendums are priced. The sum of all work items must equal to the Total Bid Amount.
- Unless called for, alternate bids will not be considered
- Modification of bids already submitted will be considered if received at the office designated in the invitation for bids by the time set for opening of bids

Submittal of Bids

- Sealed bids will be submitted to the Safe Home Program Office as directed in the invitation to bid prior to or at the appointed bid opening time
- Bid will be time stamped on the date of delivery
- Each bid must be submitted in a sealed envelope bearing on the outside the name of the Contractor, the name of the project for which the bid is submitted, and the date and time of the bid opening
- All bids submitted must be typed or written in ink and signed by the Contractor's designated representative



- Failure to include all forms may result in rejection of a bid
- Required Bid Package Forms:
 - Scope of Work
 - o Addenda Acknowledgement
 - o Itemized Work Sheet
 - o Subcontractor Certifications (if applicable)

NEIGHBORHOOD & BUSINESS SERVICES

http://housing.charlottenc.gov | 600 E. Trade Street | Charlotte, NC

LEAD ABATEMENT SCOPE OF WORK & INSTRUCTIONS TO BIDDERS

Address

1713 CRESTDALE DRIVE

JUNE 06,2022

TOTAL

Complete the following scope of work:

XTERIOR-Side A ,B,C,& D-White wood Vindow casings,headers , sills,sashes, wells nd lintels and white metal lintels.	Replace Window sashes and wells .Cover			
nu intelo anu witte metal ilitelo.	Tyvek and aluminum.			
ide A ,B,C,& D-Light brown and black wood ttic air vents and frames	Cover with Tyvek and aluminum or vinyl.			
ide A- PORCH-Light brown wood Fascias soffits and trim.	Cover with Tyvek and aluminum or vinyl.			
oor 1A1- (to Room #1) White wood door asings, header , jambs, stops , and nreshold .	Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl.			
asement Door C1 (to Room # 10)- White detal Lintel	Cover with Tyvek and aluminum or vinyl.			
NTERIOR-Room # 10-Door A1-(to nfinished basement area light brown wood	Produce.			
Room # 10-Window B1, Window C1 and	керіасе.			
ashes.	Replace.			
levated Dust levels-Room #3 & Room # 10	Complete Specialized cleaning			
Contractors Requirements	Complete as Required			
-ii t ii	de A ,B,C,& D-Light brown and black wood tic air vents and frames de A- PORCH-Light brown wood Fascias offits and trim. oor 1A1- (to Room #1) White wood door usings, header , jambs, stops , and reshold . asement Door C1 (to Room # 10)- White etal Lintel oor 1C1 - (to Room #7)- White wood door, usings, header, jambs, stops, and threshold. ITERIOR-Room # 10-Door A1-(to offinished basement area light brown wood oor. oom # 10-Window B1, Window C1 and findow C2-Light brown wood window ashes.	de A ,B,C,& D-Light brown and black wood dic air vents and frames de A- PORCH-Light brown wood Fascias offits and trim. cor 1A1- (to Room #1) White wood door asings, header , jambs, stops , and reshold . desement Door C1 (to Room # 10)- White etal Lintel cover with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl.	de A ,B,C,& D-Light brown and black wood ditc air vents and frames de A- PORCH-Light brown wood Fascias offits and trim. Cover with Tyvek and aluminum or vinyl. Cover with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl. Replace door jambs , stops and threshold. Cover door casings and header with Tyvek and aluminum or vinyl.	de A ,B,C,& D-Light brown and black wood tic air vents and frames de A- PORCH-Light brown wood Fascias offits and trim. Door 1A1- (to Room #1) White wood door usings, header , jambs, stops , and reshold. Dasement Door C1 (to Room # 10)- White etal Lintel Door 1C1 - (to Room #7)- White wood door, usings, header, jambs, stops, and threshold. Door 1C1 - (to Room #7)- White wood door, usings, header, jambs, stops, and threshold. Door 1C1 - (to Room #7)- White wood door, usings, header, jambs, stops, and threshold. Door 1C1 - (to Room #7)- White wood door, usings, header, jambs, stops, and threshold. Door 1C1 - (to Room #10-Door A1-(to nfinished basement area light brown wood yor. Door #10-Window B1, Window C1 and findow C2-Light brown wood window ushes. Door #10-Window B1, Window C1 and findow C2-Light brown wood window ushes. Door #10-Window B1, Window C1 and findow C2-Light brown wood window ushes. Door #10-Window B1, Window C1 and findow C2-Light brown wood window ushes. Door #10-Window B1, Window C1 and findow C2-Light brown wood window ushes. Door #10-Window B1, Window C1 and findow C2-Light brown wood window ushes. Door #10-Window B1, Window C1 and findow C2-Light brown wood window ushes. Door #10-Window B1, Window C1 and findow C2-Light brown wood window ushes. Door #10-Window B1, Window C1 and findow C2-Light brown wood window ushes. Door #10-Window B1, Window C1 and findow C2-Light brown wood window ushes. Door #10-Window B1, Window C1 and findow C2-Light brown wood window ushes.

Contractors may submit an occupant protection plan on the form provided.

- 1 Contact Jim Roy if an additional form is needed. Phone 704-968-4111. Complete all interior work in a unit in a single day.
- 2 Allow for replacement of 50 board feet of rotted wood.
- 3 Unless otherwise noted any window or door removal and replacement
- 4 includes frame and trim on both sides.

 In lieu of complete removal, window frames may be enclosed with vinyl on
- 5 exterior in accordance with all project manual requirements
- 6 Contact Jim Roy to conduct inspections prior to repainting or other putback and after vinyl siding installation.

Windows being placed in a bathroom need to be tempered glass.

Total Bid

Acknowledgement of Addenda (if any):	Ş	
Addendum#		
		Date
The undersigned contractor agrees to perf	orm the scope of work for the indicated	
	1.1 1. 1. 1. 1.	

fee in accordance with applicable regulations and the project manual. The undersigned also certifies that the work will be completed within 60 days of award.

Signature of authorized contractor representative

Contractor Submitting Bid: Address:

Phone:

1713 Crestdale Drive

ROY CONSULTING

Charlotte, NC 28216

GROUP CORPORATION
Providing integrated environmental and geolechnical solutions

SIDEC

Busement Level

main Level

00 しゃってんのかん J. 60

> × 下をられ であり LD

> > 8 BOIS

Legend

= Window = Door

= Soil Sample Location

SIDEA

NOT TO SCALE